5-Year Comparison of Adopted Tox	vn Bu	dgets and Ot	her	Data (as of J	uly	1 of each fisc	al y	/ear)					
		FY20-21	FY21-22		FY22-23		FY23-24		FY24-25			FY25-26	
Funds Summary	Ad	lopted Budget	Adopted Budget		Adopted Budget		Adopted Budget		Adopted Budget			Proposed Budget	
General Fund	\$	1,890,000	\$	1,891,341	\$	1,870,931	\$	2,156,391	\$	2,414,000		\$	2,692,000
General Capital Reserve Fund	\$	61,248	\$	107,187	\$	60,060	\$	56,900	\$	89,007		\$	154,144
Law Enforcement Separation Allowance Fund	\$	7,888	\$	13,545	\$	13,525	\$	12,685	\$	515		\$	540
Water Fund	\$	572,234	\$	585,500	\$	594,500	\$	655,335	\$	654,000		\$	708,500
Water Capital Reserve Fund	\$	2,800	\$	489	\$	172	\$	10	\$	20,215		\$	25,000
Sewer Fund	\$	681,884	\$	659,500	\$	669,500	\$	679,035	\$	720,000		\$	784,500
Sewer Capital Reserve Fund	\$	129	\$	22	\$	8	\$	1	\$	25,250		\$	26,000
Grand Total	\$	3,216,183	\$	3,257,584	\$	3,208,696	\$	3,560,357	\$	3,922,987		\$	4,390,684
Other Data for Comparison													
Total Difference vs. Previous Year's Budget	\$	233,934	\$	41,401	\$	(48,888)	\$	351,661	\$	362,630		\$	467,697
Tax Rate (per \$100 valuation)		26¢		26¢		26¢		24¢		24¢			28¢
Total Assessed Property Value	\$	307,400,000	\$	311,000,000	\$	314,000,000	\$	430,780,000	\$	454,450,000		\$	463,245,000
Cost-of-Living Allowance (COLA)		3.1%		1.4%		5.0%		4.4%		3.7%			2.8%
Number of Full-Time Employees Funded		18		18		18		19		19			21
Utility Bill for 3,000 Gallons Water and Sewer/mth.	\$	76.72	\$	76.72	\$	79.98	\$	79.98	\$	79.98		\$	79.98
Population (from state demographer as of July 1)		2,890		2,900		2,892		2,874		*			*
Total General Fund, Fund Balance	\$	1,306,128	\$	1,365,837	\$	1,328,966	\$	1,502,649		**			**
										Over 5 Years	Avg. Per Yr.		
Change in Grand Total for Adopted Budgets over 5-year period and Per Year Average							By Percentage			21.98%	4.40%		
							ВуІ	Dollar Amount	\$	706,804	\$ 141,361		
* Data not released by State yet													
** Data will not be available until audit for this year has been completed												Da	ite of report 5-29-25